

(b) Amendments to the Claims

Please cancel claim 12 and amend claim 1 as follows. In accordance with the revised amendment format, a complete listing of all the claims appears below; this listing replaces all earlier amendments and listings of the claims.

1. (Currently Amended) A method for making an organic luminescent device comprising the steps of:

forming an anode;

forming an organic layer of hole transport compound on said anode by the steps consisting essentially of (a) applying a positive DC voltage from 10 V to 100 V to said anode without generating plasma and (b) forming the organic layer with evaporated hole transport compound; and

forming a cathode above said organic layer[[:]].

~~wherein the organic layer is formed by using an evaporated hole transport compound while applying a positive DC voltage to said anode without generating plasma.~~

2. (Cancelled)

3. (Previously Presented) A method for making an organic luminescent device according to claim 1, wherein said hole transport compound is evaporated using resistance heating or laser ablation.

4. (Cancelled)

4. (Cancelled)

5. (Previously Presented) A method for making an organic luminescent device according to claim 1, wherein said anode comprises indium tin oxide.

6. - 8. (Cancelled)

9. (Previously Presented) A method for making an organic luminescent device according to claim 1, wherein said anode is subjected to an oxygen plasma surface treatment or an inert gas plasma surface treatment, and then the organic layer is formed on said anode without exposing said anode to air.

10. (Original) A method for making an organic luminescent device according to claim 9, wherein oxygen ions or electrons having an energy in the range of 10 to 80 eV are used in the oxygen plasma surface treatment.

11. (Original) A method for making an organic luminescent device according to claim 9, wherein positive ions of the inert gas having an energy in the range of 20 to 100 eV are used in the inert gas plasma surface treatment.

12. (Cancelled)

13. (Original) A method for making an organic luminescent device according to claim 1, wherein the DC voltage is in the range or 40 to 90 V.

14. - 16. (Cancelled)